GOLD LAB
مختبر جولد لاب

Patient Name	: مصطفى كامل عبدالوهاب	**Sex**	: **Male**
Patient Name	: **Mostafa Kamel A. Elmardany**	**Age**	: **25 y, 11 m, 21 d**
Order No.	: **21-8814**	**Order Date**	: **08/10/2021 06:37 PM**
Consultant	: شركة جت	**Branch**	: **Main Branch**

COVID-19 by PCR		
COVID-19 by PCR		Positive
QR Code		يمكن التحقق من هذه النتيجه من خلال مسح الكود بواسطة كاميرا الهاتف This Result Can Be Verified By Scanning The QR Code Using Phone Camera
Disclaimer		Positive results are indicative of active infection with SARS-CoV-2 but do not rule out bacterial infection or co-infection with other viruses. Negative results do not preclude SARS-CoV-2 infections and should not be used as the sole basis for treatment or other patient management decisions. Negative results must be combined with clinical observations, patient history and epidemiological information. Optimum specimen types and timing for peak viral levels during infections have not been determined. False negative results may occur if specimen is improperly collected, transported or handled. False negative results may also occur if amplification inhibitors are present in the specimen or if inadequate numbers of organisms are present in the specimen. Laboratories are required to report all positive results to the Jordanian MOH.

Results Entered At : 08/10/2021 07:31 PM

Printed By : Reem Tubaishat

Printed At : 08/10/2021 11:46 PM

Address : شارع المدينة المنورة- مجمع الأندلس- هاتف: 5545666 \06

شركة السلسلة الذهبية للمختبرات ذ.م.م
GOLD LAB
مختبر جولد لاب الطبي
06 55 45 666

Reem Tubaishat